## SAFETY OBSERVATION REPORT

Observers: D. Lowenstein, E. Lessard, M. Zarcone			Date:	Duration		AR, NSRL and		
			5/3/07	1 Hr.	Main Con	trol Room		
Observation Categories	Observation							
POS	In risky position relative to task? Exposed to risks of temperature/electricity/gas/chemicals/radiation? Protection OK?							
ERG	Risks from: pos	ture, repetitive	motion, load	l, vibration, te	mperature, lighting	g, noise, work flow?		
PPE	Correct PPE? In safe condition? All parts of the body properly protected?							
T&E	Is tool, equipment or facility right for the job? In safe condition? Used correctly?							
PRO					procedure adequate? Up to date? Understood?			
ORD	Is workplace orderly?  Adequate space?  All in its place?							
ASF	No unsafe acts or conditions identified							
Work Area or Location	Number of Contacts	Description of unsafe acts			Observation Category	Follow-up Action	Person Responsible	By Date
MCR	No unsafe acts observed.  Outdated materials on shelves, logbook locators missing from shelves; informal command and control (feet on desks, food on central console, no means for outsider to readily identify who is in charge)		elves, from nd and od on s for	ORD	Recommended: no eating in MCR, update books and data on shelves, improve the way to readily identify who is in charge.	P. Ingrassia	5-08-07	
STAR	3 to 4	No unsafe acts observed.  Operator aids not controlled; food in control room; shelves used to store non-control room items.  Tier 1 deficiencies noted outside control room area (e.g., odor from bathroom, sump pump stored under breaker panels)			ORD	Recommended: no eating in STAR Control Room; get a handle on the operator aids; clear control room shelves and consoles of non- control items Perform Tier 1	W. Christie  A. Etkin	5-08-07
				1		T CITOTINI TICT I	71. Etkiii	3 00 07
NSRL	3 to 4	No unsafe a	cts observed aff well award					